

序号 item	产品代码 part no.	轮辋型号 rim size	轮辋板厚 rim thickness	轮辐板厚 disc thickness	风孔形式 hand hole	风孔数 hand hole no.	螺孔数 nut no.	螺孔直径 nut dia.	螺孔形式 nut type	分布圆直径 P. C. D	中孔直径 C. B. D	偏距 Offset
1	3124012	12×4.0JA	2.8	3.5	三角孔/triangle	8	5	15	60°	φ 114.3	71.5	0
2	3124013	12×4.0JA	2.8	4	三角孔/triangle	8	5	15	60°	φ 114.3	75	0
3	3124014	12×4.0JA	2.8	4	Φ25圆/circle	8	5	15	60°	φ 114.3	81	-12.7
4	3124021	12×4.0JA	2.8	4	三角孔/triangle	8	4	15	60°	φ 101.6	71.5	0
5	3134012	13×4J	2.6	4	Φ24圆/circle	16	4	15	60°	φ 100	57	30
6	9134510	13×4 ½J	2.8	4	三角孔/triangle	8	5	15	60°	φ 114.3	76	0
7	9134511	13×4 ½J	2.8	4	三角孔/triangle	8	5	15	60°	φ 114.3	81	0
8	9134513	13×4 ½J	2.8	4	Φ30圆/circle	10	5	15	60°	φ 114.3	81	0
9	7134520	13×4 ½J	2.8	4	Φ24圆/circle	16	4	15	60°	φ 100	57	30
10	7134510	13×4 ½J	2.8	4.5	Φ24圆/circle	16	5	15	SR24	φ 112	66.6	30
11	3135020	13×5J	2.8	3.5	Φ24圆/circle	18	4	14	60°	φ 98	58.6	29
12	3135021	13×5J	2.8	3.5	Φ24圆/circle	18	4	14	60°	φ 98	58.6	40
13	7135510	13×5 ½J	2.8	4.5	Φ24圆/circle	16	5	15	SR24	φ 112	66.6	30
14	7136010	13×6J	2.8	4.5	Φ24圆/circle	16	5	15	SR24	φ 112	66.6	30
15	7145010	14×5J	2.8	4.5	Φ24圆/circle	16	5	15	SR24	φ 112	66.6	30
16	7145021	14×5J	2.8	4.5	Φ24圆/circle	16	4	15	60°	φ 100	57	30
17	7145520	14×5 ½J	3	4.5	Φ24圆/circle	16	4	15	60°	φ 100	57	30
18	7145510	14×5 ½J	3	4.5	Φ24圆/circle	16	5	15	SR24	φ 112	66.6	30

序号 item	产品代码 part no.	轮辋型号 rim size	轮辋板厚 rim thickness	轮辐板厚 disc thickness	风孔形式 hand hole	风孔数 hand hole no.	螺孔数 nut no.	螺孔直径 nut dia.	螺孔形式 nut type	分布圆直径 P. C. D	中孔直径 C. B. D	偏距 Offset
19	9145510	14×5 ½J	2.8	4	Φ37圆/circle	10	5	15	60°	φ 114.3	81	0
20	9145511	14×5 ½J	2.8	4	三角孔/triangle	8	5	15	60°	φ 114.3	81	0
21	9146012	14×6J	2.8	4	三角孔/triangle	8	5	15	60°	φ 114.3	84	0
22	3146520	14×6 ½J	4	6.75	Φ38圆/circle	10	6	15	60°	φ 139.7	100	15
23	3146523	14×6 ½J	4	6.75	Φ38圆/circle	10	6	14	60°	φ 139.7	100.5	15
24	3146530	14×6 ½J	4	6.75	Φ24圆/circle	12	6	15	60°	φ 170	133	-18.5
25	3146540	14×6 ½J	4	6.75	Φ38圆/circle	10	5	15	60°	φ 114.3	60	15
26	3146544	14×6 ½J	4	6.75	Φ38圆/circle	10	5	14	60°	φ 114.3	60.1	15
27	3146541	14×6 ½J	4	6.75	Φ38圆/circle	10	5	15	60°	φ 114.3	67.5	15
28	3146545	14×6 ½J	4	6.75	Φ38圆/circle	10	5	14	60°	φ 114.3	67.1	15
29	3146522	14×6 ½J	6	9.5	Φ38圆/circle	10	6	15	60°	φ 139.7	100	15
30	3155021	15×5J	3	5	Φ40圆/circle	10	5	15	60°	φ 127	81	0
31	9155011	15×5J	2.8	4	Φ40圆/circle	10	5	15	60°	φ 114.3	81	0
32	9155012	15×5J	2.8	4	三角孔/triangle	8	5	15	60°	φ 114.3	84	0
33	9155013	15×5J	2.8	4	三角孔/triangle	8	5	15	60°	φ 114.3	81	0
34	9155022	15×5J	2.8	4	三角孔/triangle	8	5	15	60°	φ 127	84	0
35	9155023	15×5J	2.8	4	三角孔/triangle	8	5	15	60°	φ 127	81	0
36	9155031	15×5J	2.8	4	三角孔/triangle	8	5	15	60°	φ 139.7	108.71	0

序号 item	产品代码 part no.	轮辋型号 rim size	轮辋板厚 rim thickness	轮辐板厚 disc thickness	风孔形式 hand hole	风孔数 hand hole no.	螺孔数 nut no.	螺孔直径 nut dia.	螺孔形式 nut type	分布圆直径 P. C. D	中孔直径 C. B. D	偏距 Offset
37	7156010	15×6J	2.8	4.5	Φ30圆/circle	16	5	15	SR24	φ 112	66.5	30
38	9156011	15×6J	2.8	5	三角孔/triangle	8	5	15	60°	φ 114.3	84	0
39	9156012	15×6J	2.8	5	三角孔/triangle	8	5	15	60°	φ 114.3	81	0
40	9156013	15×6J	2.8	5	Φ37圆/circle	10	5	15	60°	φ 114.3	81	0
41	9156030	15×6J	2.8	5	Φ40圆/circle	10	6	15	60°	φ 139.7	108	0
42	9156031	15×6J	2.8	5	三角孔/triangle	8	6	15	60°	φ 139.7	108	0
43	3156000	15×6JJ	3.5	4	Φ30圆/circle	15	5	14	60°	φ 114.3	67	30
44	3157010	15×7JJ	5	6.75	Φ24圆/circle	12	6	15	60°	φ 170	133	-15
45	3157020	15×7JJ	5	6.75	Φ38圆/circle	10	5	15	60°	φ 114.3	60	15
46	3157025	15×7JJ	5	6.75	Φ38圆/circle	10	5	14	60°	φ 114.3	60.1	15
47	3157024	15×7JJ	5	6.75	Φ38圆/circle	10	5	15	60°	φ 114.3	67	15
48	3157027	15×7JJ	5	6.75	Φ38圆/circle	10	5	14	60°	φ 114.3	67.1	15
49	3157021	15×7JJ	5	6.75	Φ38圆/circle	10	6	15	60°	φ 114.3	67	25
50	3157026	15×7JJ	5	6.75	Φ38圆/circle	10	6	14	60°	φ 114.3	66.1	25
51	3157030	15×7JJ	5	6.75	Φ38圆/circle	10	6	15	60°	φ 139.7	100	25
52	3157033	15×7JJ	5	6.75	Φ38圆/circle	10	6	14	60°	φ 139.7	100.5	25
53	3166040	16×6K	4	6.75	Φ36圆/circle	10	8	16	60°	φ 165.1	130.8	0
54	3166044	16×6K	4	6.75	Φ36圆/circle	10	8	16	60°	φ 165.1	124	0

序号 item	产品代码 part no.	轮辋型号 rim size	轮辋板厚 rim thickness	轮辐板厚 disc thickness	风孔形式 hand hole	风孔数 hand hole no.	螺孔数 nut no.	螺孔直径 nut dia.	螺孔形式 nut type	分布圆直径 P. C. D	中孔直径 C. B. D	偏距 Offset
55	9166060	16×6K	3.5	6	Φ40圆/circle	10	6	16	60°	φ 139.7	108	0
56	9166061	16×6K	3.5	6	三角孔/triangle	8	6	16	60°	φ 139.7	108	0
57	5166045	16×6K	3.5	6	Φ36圆/circle	10	8	16	60°	φ 165.1	130.8	0
58	5166046	16×6K	3.5	6	三角孔/triangle	8	8	16	60°	φ 165.1	130.8	0
59	9166042	16×6K	3.5	6	Φ36圆/circle	10	8	16	60°	φ 165.1	124	13
60	9166044	16×6K	3.5	6	Φ36圆/circle	10	8	16	60°	φ 165.1	124	0
61	9166045	16×6K	3.5	6	三角孔/triangle	8	8	16	60°	φ 165.1	124	0
62	3167044	16×7J	4	6.75	Φ36圆/circle	10	8	16	60°	φ 165.1	124	0
63	3167045	16×7J	4	6.75	三角孔/triangle	8	8	16	60°	φ 165.1	124	0